U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY, DOCKET NO.

6398-78031

APPLICANT
WATZELE, ManfredL BUCHBERGER, Bernd; PAULUS, Michael
FILING DATE GROUP

INFORMATION DISCLOSURE STATEMENT

Henewith 6/9/05

1636 -Unknown

	T DOCUM		Date	Namo	Class	Subclass	Filing Date	
*Examiner Initial	<u> </u>	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate .	
FOREIGN P	AA ATENT D	OCUMENTS.			L	<u> </u>		
FUREIGN PA	AIENI DI	Document Number	Date	Country	Class	Subclass	Translation Yes No	
/C.H./	AB	WO 89/00604	01/26/1989	WG PCT	_=====		163 110	
OTHER REF		S (Including Author, Title, D	Date, Pertinent Pages,					
							NOCHEN (ICEDA)	
/C.H./	AC	BUTT, Tauseef R. et al.; "Ubiquitin fusion augments the yield of cloned gene products in Escherichia coli", BIOCHEMISTRY; Vol. 86, April 1989, pp. 2540-2544						
/C.H./	AD	GEORGE, Henry J. et al.; "High-Level Expression in Escherichia coli of Biologically Active Bovine Growth Hormone"; DNA, Vol. 4, No. 4, 1985; pp. 273-281						
/C.H./	AE	GOLD, Larry; "Posttranscriptional Regulatory Mechanisms in Escherichia Coli"; Ann. Rev. Biochem; Vol. 57; 1988; pp. 199-233						
/C.H./	1	HANNIG, Gerhard; "Strategies for optimizing heterologous protein expression in Escherichia coli"; TIBECH, Vol. 16, February 1990						
10.11.1	AF							
/C.H./	AG	JAEGER, John A.; "Predicting Optimal and Suboptimal Secondary Structure for RNA"; METHODS IN ENZYMOLOGY, Vol. 183, pp. 281-307						
/C.H./	АН	MAKRIDES, Savvas C.; "Strategies for Achieving High-Level Expression of Genes in Escherichia coli"; MICROBIOLOGICAL REVIEWS, Vol. 60, No. 3, September 1996, pp. 512-538						
/C.H./	AI	MUKUND, Mandayam Alasingachar et al.; "Effect of mRNA secondary structure in the regulation of gene expression: Unfolding of stable loop causes the expression of Taq polymerase in E., coli"; CURRENT SCIENCE; Vol.76, No. 11; June 10, 1999, pp. 1486-1490						
/C.H./	AJ	PEDERSEN-LANE, Joan et al.; "High-Level Expression of Human Thymidylate Synthase"; PROTEIN EXPRESSIOIN AND PURIFICATION, Article No. PT970750, 10, 1997, pp. 256-262						
/C.H./	AK	de SMIT, Maarten H. et al.; "Control of Translation by mRNA Secondary Structure in Escherichia coli A Quantitative Analysis of Literature Data"; J. MOL. BIOL., 244, pp. 144-150						
/C.H./	AL	SPANJAARD, Remco A. et al.; "Expression of the rat interferon-a, gene in Escherichia coli controlled by the secondary structure of the translation-initiation region"; GENE, 80, 1989, pp. 345-351 (XP-002182303)						
/C.H./	AM	SPRENGART, Michael L. et al.; "The downstream box: an efficient and independent translation initiation signal in Escherichia coli" The EMBO Journal, Vol 15, No. 3, 1996, pp. 665-674						
/C.H./	AN	STENSTROM, C. Magnus et al.; "Codon bias at the 3'-side of the initiation codon is correlated with translation initiation efficiency in Escherichia coli"; GENE, 263, 2001, pp. 273-284						
/C.H./	ΑÓ	STENSTROM, C. Magnus et al.; "Cooperative effects by the initiation codon and its flanking regions on translation initiation"; GENE, 273, 2001, pp. 259-265; (XP-002285920)						
/C.H./	AP	TESSIER, Luc-Henri et al.; "The influence of mRNA primary and secondary structure on human IFN-γ gene expression in E. coli" NUCLEIC ACIDS RESEARCH; Vol. 12, No. 20, 1984, pp. 7663-7675						
		Catherine Hibb	mit		10/	18/2007	Date Considered	